THE
# MYSORE GAZETTE.
No. 35.] Published by Authority. [1895.

BANGALORE, THURSDAY, SEPTEMBER 12, 1895.

## PART IV.
### OFFICIAL PAPERS.

*Season Report for the week ending Saturday the 7th September 1895.*

| Rain-fall at— | Rainfall. Present week. I. | C. | Average for corresponding week of the past three years. I. | C. | Total from the beginning of the present calendar year. I. | C. | Average for the past three years up to end of present week. I. | C. | Price of food grains in seers per Rupee; and marked fluctuations in the prices of food grains. | Market how supplied. | Progress of agricultural operations, state of standing crops, prospects and probable out-turn of the harvests, serious damage done to crops by insects or other natural calamities. | Prospects of Season; tracts in which the rainfall has been insufficient; areas affected by scarcity, number of people under relief, and state of food stocks. | Public Health. | Remarks as to the condition of agricultural stock, fall of pasturage or fodder, |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bangalore C. & M. Stn. | ... | 21 | ... | 29 | 18 | 91 | 30 | 67 | This week. Past week. | Well. | Standing crops are much in need of rain. Paddy, ragi, cow gram, horse gram, pigeon pea and sugar-cane were sown. | Prospects of season, fair. | Generally good. | Cattle in good co Water and pastura curable. |
| „ City & Tk.... | ... | ... | ... | 42 | 12 | 42 | 22 | 55 | Seers. Seers. | | | | | |
| Hoskote ... | ... | 2 | ... | 29 | 14 | 14 | 27 | 78 | Rice 9 9. | | | | | |
| Dodballapur ... | ... | .. | ... | 15 | 19 | 31 | 35 | 42 | Ragi 29½ 29½. | | | | | |
| Nelamangala ... | ... | 5 | ... | 18 | 15 | 81 | 32 | 34 | (*Eleusine corocana.*) | | | | | |
| Kankanhalli ... | ... | ... | ... | 41 | 24 | 8 | 36 | 3 | Horse-gram 22½ 22. | | | | | |
| Magadi ... | ... | 92 | ... | 18 | 19 | 70 | 37 | 45 | (*Ciser arietinum.*) | | | | | |
| Channapatna ... | ... | ... | ... | 34 | 24 | 59 | 36 | 46 | | | | | | |
| Anekal ... | ... | 6 | ... | 45 | 17 | 74 | 33 | 64 | | | | | | |
| Devanhalli ... | ... | ... | ... | 21 | 17 | 9 | 37 | 43 | | | | | | |
| Closepet ... | ... | ... | ... | 7 | 10 | 2 | 19 | 12 | Rice 9½ to 10½ 9½ to 10½. | Do | Standing crops are reported to be withering in many places. Rain is urgently wanted. Jola and gingelly were harvested in parts. | Prospects of season, generally good. | Do | Water and fodder able. |
| Kolar ... | ... | ... | ... | ... | 9 | 66 | 20 | 27 | Ragi 24 to 38 27 to 36. | | | | | |
| Bowringpet ... | ... | ... | ... | 28 | 12 | 35 | 17 | 56 | (*Eleusine corocana.*) | | | | | |
| Chintamani ... | ... | ... | ... | ... | 10 | 57 | 14 | 5 | Horse-gram 20 to 28 20 to 31. | | | | | |
| Mulbagal ... | ... | ... | ... | 16 | 15 | 85 | 20 | 3 | (*Ciser arietinum.*) | | | | | |
| Sidlaghatta ... | ... | ... | ... | 38 | 17 | 31 | 17 | 41 | | | | | | |
| Chikballapur ... | ... | ... | ... | 90 | 13 | 27 | 15 | 48 | | | | | | |
| Bagepalli ... | ... | ... | ... | 41 | 13 | 40 | 14 | 81 | | | | | | |
| Goribidnur ... | ... | ... | ... | 23 | 15 | 73 | 18 | 28 | | | | | | |
| Malur ... | ... | ... | ... | 37 | 13 | 74 | 17 | 83 | | | | | | |
| Srinivaspur ... | ... | ... | ... | 96 | 18 | 69 | 19 | 96 | | | | | | |
| Gudibanda ... | ... | ... | ... | 37 | 19 | 21 | 28 | 23 | Rice 8 to 11 8½ to 11. | Do | Standing crops are generally in good condition. Sugar-cane great millet, little paniele, gingelly, black gram, and green gram were harvested. Paddy, horse gram, wild gingelly, were sown in parts. | Prospects of season, generally good. Rainfall insufficient in Maddagiri, Chiknayakanhalli & Pavagada Taluks. | Do | Cattle are gener good conditi and fodder availal |
| Tumkur ... | ... | 40 | ... | 72 | 15 | 50 | 17 | 72 | Ragi 25 to 40 25 to 40. | | | | | |
| Maddagiri ... | ... | ... | ... | 14 | 17 | 46 | 17 | 50 | (*Eleusine corocana.*) | | | | | |
| Chiknayakanhalli. | ... | ... | ... | 30 | 14 | 44 | 16 | 30 | Horse-gram 20 to 30 20 to 30. | | | | | |
| Pavagada ... | ... | ... | ... | ... | 12 | 90 | 17 | 62 | (*Ciser arietinum.*) | | | | | |
| Tiptur ... | ... | 50 | ... | 41 | 17 | 50 | 15 | 99 | | | | | | |
| Nagamangala ... | ... | ... | ... | 70 | 10 | 47 | 12 | 20 | | | | | | |
| Nidugal ... | ... | 40 | ... | 61 | 17 | 43 | 23 | 56 | | | | | | |

1514

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| atagere ... | ... | ... | ... | 17 | 12 | 62 | 14 | 6 | | | | | |
| ruvekere ... | ... | ... | ... | 30 | 13 | 92 | 15 | 31 | | | | | |
| uliyar ... | ... | ... | ... | 32 | 17 | 81 | 10 | 42 | | | | | |
| ...re ... | ... | ... | ... | 16 | 14 | 70 | 19 | 18 | Rice 9 to 10 9 to 10 | Fairly | Standing crops are in fair condition. Jola, ragi, and oil seeds were harvested in some parts, and are ready for harvesting in oters. Rain is needed in almost all the Taluks. | Prospects of season, fair. | Do | Cattle are healthy. and fodder are ava |
| Chamrajnagar ... | ... | ... | ... | 17 | 17 | 83 | 12 | 13 | Ragi 24 to 35 24 to 34 | | | | | |
| Seringapatam ... | ... | ... | ... | 43 | 12 | ... | 20 | 58 | (*Eleusine corocana.*) | | | | | |
| Hunsur ... | ... | ... | ... | 24 | 15 | 83 | 20 | 90 | Horse- | | | | | |
| Yedatore ... | ... | .. | ... | 13 | 10 | 32 | 18 | 15 | gram 24 to 32 24 to 32 | | | | | |
| Heggaddevankote. | ... | 26 | ... | 23 | 24 | 43 | 21 | 3 | (*Ciser arietinum.*) | | | | | |
| Gundlupet ... | ... | ... | ... | 7 | 14 | 20 | 12 | 73 | | | | | | |
| Nanjangud ... | ... | 25 | ... | 25 | 19 | 28 | 18 | 29 | | | | | | |
| T. Narsipur ... | ... | ... | ... | 2 | 16 | 52 | 15 | 11 | | | | | | |
| Malvalli ... | ... | ... | ... | 17 | 17 | 15 | 15 | 7 | | | | | | |
| Mandya ... | ... | ... | ... | 23 | 14 | 7 | 13 | 60 | | | | | | |
| Krishnarajpete ... | ... | ... | ... | 6 | 12 | 27 | 15 | 73 | | | | | | |
| Nagamangala ... | ... | ... | ... | 12 | 13 | 67 | 16 | 54 | | | | | | |
| Hassan ... | ... | 17 | | | | | | | Rice 9 to 10 9 to 10. | Well | Standing crops, namely, paddy, ragi, pigeon pea, cow gram, green gram, black gram, castor, and Sugar-cane are reported to be in good condition. Paddy is being transplanted in Manjarabad Taluk. | Prospects of season, good. Rainfall insufficient throughout the District. Early rains are wanted in parts of Banavar, Arsikere Taluk. | Do | Fodder and water cient. |
| Manjarabad ... | ... | 58 | | | | | | | Ragi 32 32. | | | | | |
| Arkalgud ... | ... | ... | | | | | | | (*Eleusine corocana.*) | | | | | |
| Belur ... | ... | ... | * | * | * | * | * | * | Horse- | | | | | |
| Channarayapatna. | ... | 10 | | | | | | | gram 22 20. | | | | | |
| Arsikere ... | ... | 8 | | | | | | | (*Ciser arietinum.*) | | | | | |
| Holé-Narsipur ... | ... | ... | | | | | | | | | | | | |
| Alur Sub-Taluk.. | ... | ... | | | | | | | | | | | | |
| Shimoga .. | ... | 16 | 1 | 30 | 25 | 90 | 24 | 76 | Rice 11 to 12½ 11 to 12. | Do | Standing crops in good condition, but in need of rain in Shimoga, Honnali, and Shikarpur. Horse gram, cotton, cow gram, Italian millet, little millet, were sown, and paddy, seedlings transplanted in Sorab. | Prospects of season, good. Rain required in Maidan Taluks. | Do | Fair. |
| Channagiri ... | ... | 91 | 1 | 66 | 17 | 53 | 17 | 83 | Ragi 30 to 48 24 to 48. | | | | | |
| Honnali ... | ... | 1 | .. | 57 | 10 | 93 | 12 | 60 | (*Eleusine corocana.*) | | | | | |
| Shikarpur .. | ... | .. | 1 | 13 | 20 | 99 | 20 | 63 | Jola 24 to 36 24 to 36. | | | | | |
| Sorab ... | ... | 60 | 3 | 14 | 60 | 20 | 50 | 30 | (*Sorghum vulgare.*) | | | | | |
| Sagar ... | 1 | 14 | 4 | 8 | 65 | 3 | 53 | 22 | | | | | | |
| Nagar ... | ... | 25 | 9 | 41 | 79 | 85 | 79 | 82 | | | | | | |
| Tirthahalli ... | 1 | 3 | 4 | 97 | 94 | 89 | 53 | 4 | | | | | | |
| Kumsi ... | ... | 25 | 1 | 77 | 25 | 1 | 70 | 18 | | | | | | |
| Chikmagalur ... | ... | ... | ... | 50 | 25 | 26 | 31 | 86 | Rice 6 to 12 7 to 13. | Do | Standing crops, namely, paddy, ragi, sugar-cane, garlic, chillies, pigeon pea, &c., are generally in good condition. Some dry crops are withering in maidan parts. Jola, gingelly, coriander, and gidda ragi are being reaped in Kadur and Chikmagalur Taluks. | Prospects of season, generally good. Rainfall insufficient except in Malnad. | Do | Cattle are healthy. and water generally able. |
| Kadur ... | ... | ... | ... | 17 | 11 | 82 | 20 | 25 | Ragi 22 to 36 20 to 32. | | | | | |
| Tarikere ... | ... | 86 | ... | 80 | 22 | 16 | 31 | 50 | (*Eleusine corocana.*) | | | | | |
| Koppa ... | 1 | 32 | 5 | 78 | 89 | 38 | 111 | 33 | Horse- | | | | | |
| Mudgere ... | ... | 85 | 4 | 23 | 77 | 16 | 85 | 41 | gram 14 to 22 14 to 22. | | | | | |
| Yedahalli .. | * | * | * | * | * | * | * | * | (*Ciser arietinum.*) | | | | | |
| Sringeri .. | * | * | * | * | * | * | * | * | | | | | | |
| Chitaldrug ... | ... | 25 | ... | 25 | 22 | 12 | 16 | 29 | Rice 10 to 11 9 to 12. | Do | Standing crops are fading for want of rain. Horse gram, little millet, Italian millet, wild gingelly, and spiked millet were sown in some parts. Black gram, green gram, sesamum, and great millet were harvested in parts. Sowing operations retarded for want of rain. | Prospects of season depend upon a speedy fall of rain. | Generally fair. | Fodder available. leaves are used for in the Taluks of C kere. Murrain is lent in parts of M muru, Holalkere Harihar. |
| Challakere ... | ... | ... | ... | 15 | 8 | 25 | 15 | 81 | Ragi 30 to 48 33 to 48. | | | | | |
| Hiriyur ... | ... | ... | ... | 15 | 12 | 64 | 11 | 73 | (*Eleusine corocana.*) | | | | | |
| Holalkere ... | ... | 5 | .. | 15 | 11 | 35 | 11 | 70 | Jola 27 to 36 28 to 36. | | | | | |
| Davangere ... | ... | 25 | ... | 60 | 8 | 83 | 11 | 84 | (*Sorghum vulgare.*) | | | | | |
| Holakalmuru ... | ... | ... | ... | 15 | 11 | 75 | 16 | 24 | | | | | | |
| agalur ... | ... | ... | ... | 13 | 7 | 7 | 11 | 69 | | | | | | |
| Hosdurga ... | ... | ... | ... | 10 | 14 | 55 | 13 | 96 | | | | | | |
| Harihar .. | ... | ... | ... | 22 | 8 | 23 | 8 | 38 | | | | | | |

* Information not received.

ORE,
ber 1895.

C. SREENIVASIENGAR,
*Revenue Secretary*

| | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Kunigal ... | ... | 17 | ... | 64 | 17 | 60 | 24 | 26 | | | | | |
| | Koratagere ... | ... | 45 | ... | 12 | 13 | 7 | 14 | 6 | | | | | |
| | Turuvekere ... | ... | ... | ... | 10 | 13 | 92 | 15 | 41 | | | | | |
| | Huliyar ... | 4 | 60 | ... | 9 | 22 | 41 | 10 | 51 | | | | | |
| Mysore ... | Mysore ... | ... | 30 | ... | 3 | 15 | ... | 19 | 21 | Rice 9 to 10 9 to 10<br>Ragi 24 to 33 24 to 35<br>(*Eleusine corocana.*)<br>Horse-<br>gram 23½ to 32 24 to 32<br>(*Ciser arietinum.*) | Fairly well. | Standing crops in fair condition; but rain is wanted in most of the Taluks. Jola and ragi were harvested in some parts of the District and are ready for harvesting in other. | Prospects of season fair. | Generally good. | Cattle are gene<br>Water and<br>available. |
| | Chamrajnagar ... | 1 | 47 | ... | 5 | 19 | 30 | 12 | 18 | | | | | | |
| | Seringapatam ... | ... | 21 | ... | 26 | 12 | 21 | 20 | 84 | | | | | | |
| | Hunsur ... | ... | ... | ... | 17 | 15 | 83 | 21 | 7 | | | | | | |
| | Yedatore ... | ... | 20 | ... | 9 | 10 | 52 | 18 | 23 | | | | | | |
| | Heggaddevankote. ... | | 45 | ... | 21 | 24 | 88 | 21 | 24 | | | | | | |
| | Gundlupet ... | ... | 36 | ... | 5 | 14 | 52 | 12 | 78 | | | | | | |
| | Nanjangud ... | 1 | 10 | ... | ... | 20 | 38 | 18 | 29 | | | | | | |
| | T. Narsipur ... | ... | 33 | ... | 2 | 16 | 85 | 15 | 13 | | | | | | |
| | Malvalli ... | ... | 42 | ... | 8 | 17 | 57 | 15 | 15 | | | | | | |
| | Mandya ... | ... | 20 | ... | 27 | 14 | 27 | 13 | 87 | | | | | | |
| | Krishnarajpete ... | ... | ... | ... | 5 | 12 | 27 | 15 | 78 | | | | | | |
| | Nagamangala ... | ... | ... | ... | 7 | 13 | 67 | 16 | 61 | | | | | | |
| Hassan ... | Hassan ... | ... | 41 | ... | 27 | 7 | 3 | 8 | 48 | Rice 8 to 9 9 to 10.<br>Ragi 36 32.<br>(*Eleusine corocana.*)<br>Horse-<br>gram 22 22.<br>(*Ciser arietinum.*) | Well | Standing crops, namely, paddy, ragi, sugar-cane, pigeon pea, castor, cow gram, green gram, and black gram, are reported to be in good condition. Digging operations going on in the coffee estates of Manjarabad. | Rainfall insufficient in the Taluks of Hassan, Belur, Arsikere, Arkalgud and Alur Sub-Taluk. | Do | Water and fod |
| | Manjarabad ... | ... | 53 | ... | 99 | 31 | 42 | 46 | 3 | | | | | | |
| | Arkalgud ... | .. | ... | ... | 25 | 5 | 8 | 2 | 89 | | | | | | |
| | Belur ... | ... | ... | ... | 80 | 6 | 1 | 35 | 39 | | | | | | |
| | Channarayapatna. | ... | ... | ... | ... | .. | .. | ... | ... | | | | | | |
| | Arsikere ... | 1 | 22 | ... | 42 | 21 | 50 | 7 | 16 | | | | | | |
| | Holé-Narsipur ... | 2 | 9 | ... | 14 | 16 | 75 | ... | 80 | | | | | | |
| | Alur Sub-Taluk.. | ... | ... | ... | ... | 5 | 35 | ... | ... | | | | | | |
| Shimoga .. | Shimoga .. | ... | ... | ... | 19 | 25 | 90 | 16 | 16 | Rice 12 to 13 11 to 12.<br>Ragi 24 to 48 24 to 48.<br>(*Eleusine corocana.*)<br>Jola 24 to 36 24 to 36.<br>(*Sorghum vulgare.*) | Do | Standing crops in good condition except in parts of Shimoga, Channagiri, Honnali, Shikarpur and Sorab. where the crops are in need of rain. Paddy seedlings transplanted in Sagar and both ragi and paddy seedlings in Nagar. Green gram was harvested in Honnali, and arecanut gathered in Tirthahalli. | Prospects of season fair, but in need of rain in parts. | Do | Fair. |
| | Channagiri ... | ... | ... | ... | 44 | 17 | 53 | 18 | 21 | | | | | | |
| | Honnali .. | ... | ... | .. | 10 | 10 | 92 | 12 | 70 | | | | | | |
| | Shikarpur .. | ... | .. | ... | 6 | 20 | 99 | 20 | 63 | | | | | | |
| | Sorab ... | ... | 14 | ... | 61 | 60 | 34 | 50 | 68 | | | | | | |
| | Sagar ... | ... | 17 | ... | 87 | 65 | 20 | 59 | 52 | | | | | | |
| | Nagar ... | ... | ... | 2 | 66 | 79 | 85 | 80 | 41 | | | | | | |
| | Tirthahalli ... | 1 | 17 | 2 | 38 | 96 | 6 | 88 | 24 | | | | | | |
| | Kumsi ... | ... | 4 | ... | 53 | 25 | 5 | 23 | 70 | | | | | | |
| Kadur | Chikmagalur ... | ... | 7 | ... | 25 | 25 | 33 | 31 | 82 | Rice 6 to 12 6 to 12.<br>Ragi 22 to 36 22 to 36.<br>(*Eleusine corocana.*)<br>Horse-<br>gram 16 to 21 14 to 22.<br>(*Ciser arietinum.*) | Do | Standing crops, namely, paddy, ragi, sugar-cane, &c., are generally in good condition. All dry crops are withering for want of timely rain in Maidan parts. The picking of arecanut has been commenced in Koppa. | Prospects of season generally good. Rainfall insufficient in Maidan parts. | Do | Cattle healthy.<br>water general<br>except in Kad |
| | Kadur ... | ... | ... | ... | 12 | 11 | 82 | 20 | 21 | | | | | | |
| | Tarikere ... | ... | 21 | ... | 72 | 22 | 37 | 31 | 39 | | | | | | |
| | Koppa ... | 1 | 15 | 3 | 6 | 90 | 53 | 110 | 95 | | | | | | |
| | Mudgere ... | 1 | 48 | 1 | 91 | 78 | 64 | 85 | 52 | | | | | | |
| | Yedahalli .. | .. | ... | ... | ... | ... | ... | ... | ... | | | | | | |
| | Sringeri ... | ... | ... | ... | ... | ... | ... | ... | ... | | | | | | |
| Chitaldrug... | Chitaldrug ... | 1 | 12 | ... | 28 | 23 | 24 | 17 | 41 | Rice 9 to 11 10 to 11.<br>Ragi 32 to 48 30 to 48.<br>(*Eleusine corocana.*)<br>Jola 28 to 36 27 to 36.<br>(*Sorghum vulgare.*) | Do | Standing crops are fading for want of rain. Wheat, black gram, green gram and sesamum and mungar jola were harvested. | Prospects of season depend upon a speedy fall of rain. | Do | Water and fo<br>able. Date lea<br>by cattle in<br>of Chitaldrug<br>kere. |
| | Challakere ... | 1 | 82 | ... | 19 | 10 | 17 | 17 | 40 | | | | | | |
| | Hiriyur ... | 2 | ... | ... | 15 | 14 | 64 | 13 | 58 | | | | | | |
| | Holalkere ... | ... | 65 | .. | 42 | 12 | ... | 12 | 13 | | | | | | |
| | Davangere ... | 1 | 15 | ... | 18 | 9 | 98 | 12 | 99 | | | | | | |
| | Molakalmuru ... | 3 | 65 | ... | 38 | 10 | 72 | 19 | 67 | | | | | | |
| | Jagalur ... | 2 | 30 | ... | 29 | 14 | 5 | 13 | 69 | | | | | | |
| | Hosdurga ... | ... | 45 | ... | 27 | 15 | ... | 13 | 96 | | | | | | |
| | Harihar .. | ... | 33 | ... | 18 | 8 | 56 | 8 | 45 | | | | | | |

9/91

BANGALORE,
18*th September* 1895.

C. SREENIVASIENGAR
*Revenue Sec*

THE

# MYSORE GAZETTE.

No. 36.] Published by Authority. [1895.

BANGALORE, THURSDAY, SEPTEMBER 19, 1895.

## PART IV.

### OFFICIAL PAPERS.

*Season Report for the week ending Saturday the 14th September 1895.*

| Districts. | Rainfall at— | Rainfall. Present week. | | Average for corresponding week of the past three years. | | Total from the beginning of the present calendar year. | | Average for the past three years up to end of present week. | | Price of food grains in seers per rupee; and market fluctuations in the prices of food grains. | Market how supplied. | Progress of agricultural operations, state of standing crops, prospects and probable outturn of the harvests, serious damage done to crops by insects, or other natural calamities. | Prospects of Season; tracts in which the rainfall has been insufficient; areas affected by scarcity, number of people under relief, and state of food stocks. | Public Health. | Remarks as to the agricultural stock of pasturage or |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | I. | c | I. | c | I. | c. | I. | c. | | | | | | |
| Bangalore ... | Bangalore C. & M. Stn. ... | ... | 62 | ... | ... | ... | .. | .. | ... | | Well. | Standing crops still in need of rain. Paddy, sugarcane and wild gingelly were sown. | Prospects of season good. | Generally good. | Cattle are in go Water and available. |
| | „ City & Tk.... | 3 | 28 | ... | 73 | 22 | 10 | 32 | 35 | | | | | | |
| | Hoskote ... | ... | 21 | ... | ... | 12 | 63 | 22 | 85 | | | | | | |
| | Dodballapur ... | ... | 28 | ... | 24 | 14 | 42 | 27 | 28 | | | | | | |
| | Nelamangala ... | ... | 21 | ... | 50 | 19 | 52 | 35 | 13 | | | | | | |
| | Kankanhalli ... | 1 | 40 | ... | 6 | 18 | 21 | 32 | 94 | | | | | | |
| | Magadi ... | ... | ... | 1 | 28 | 25 | 8 | 35 | 94 | | | | | | |
| | Channapatna ... | 1 | 55 | ... | 31 | 21 | 25 | 37 | 84 | | | | | | |
| | Arekal ... | ... | 90 | ... | 63 | 25 | 49 | 36 | 58 | | | | | | |
| | Devanhalli ... | ... | 75 | ... | ... | 18 | 49 | 33 | 41 | | | | | | |
| | Closepet ... | ... | 23 | ... | 34 | 18 | 32 | 36 | 79 | | | | | | |
| Kolar ... | Kolar ... | ... | 50 | ... | 14 | 10 | 52 | 19 | 26 | | Do | Standing crops are reported to have been benefited to some extent by recent rains. Horse gram, wild gingelly were sown in parts. | Prospects generally good. | Good. | Water and fodd able. |
| | Bowringpet ... | ... | 20 | ... | 30 | 9 | 86 | 20 | 57 | | | | | | |
| | Chintamani ... | 1 | 10 | ... | 36 | 13 | 45 | 17 | 93 | | | | | | |
| | Mulbagal ... | 5 | 50 | ... | 13 | 16 | 7 | 14 | 18 | | | | | | |
| | Sidlaghatta ... | 1 | 60 | ... | 26 | 17 | 45 | 20 | 30 | | | | | | |
| | Chikballapur ... | 1 | 30 | ... | 21 | 18 | 61 | 17 | 63 | | | | | | |
| | Bagepalli ... | 1 | 30 | ... | ... | 14 | 57 | 15 | 48 | | | | | | |
| | Goribidnur ... | 1 | 70 | ... | 5 | 15 | 10 | 14 | 86 | | | | | | |
| | Malur .. | 2 | 73 | ... | 14 | 18 | 46 | 18 | 42 | | | | | | |
| | Srinivaspur ... | 2 | 10 | ... | 21 | 15 | 84 | 18 | 6 | | | | | | |
| | Gudibanda ... | ... | 64 | ... | 33 | 19 | 33 | 20 | 29 | | | | | | |
| Tumkur ... | Tumkur ... | 2 | 5 | ... | 22 | 21 | 26 | 28 | 71 | | Do | Standing crops are in good condition. Sugarcane, gingelly, great millet, black gram, green gram, Italian millet, little panicle were harvested. Paddy, horse gram, wild gingelly, were sown in parts. | Prospects of season good. | Do | Cattle generally Water and fodd able. |
| | Maddagiri ... | 1 | 16 | ... | 7 | 16 | 60 | 17 | 78 | | | | | | |
| | Chiknayakanhalli. | 1 | 31 | ... | 24 | 18 | 77 | 17 | 74 | | | | | | |
| | Sira ... | ... | 92 | ... | 7 | 15 | 36 | 16 | 35 | | | | | | |
| | Gubbi ... | 1 | 20 | ... | 37 | 14 | 10 | 17 | 98 | | | | | | |
| | Tiptur ... | ... | 70 | ... | 10 | 18 | 20 | 16 | 9 | | | | | | |
| | Pavagada ... | ... | 95 | ... | 23 | 11 | 42 | 12 | 38 | | | | | | |

| | This week. | Past week. |
|---|---|---|
| | Seers. | Seers. |
| Rice | 9½ | 9. |
| Ragi (*Eleusine corocana.*) | 31 | 29½. |
| Horse-gram (*Ciser arietinum.*) | 21 | 22½. |

| | | |
|---|---|---|
| Rice | 9 to 10 | 9½ to 10½. |
| Ragi (*Eleusine corocana.*) | 26 to 36 | 24 to 38. |
| Horse-gram (*Ciser arietinum.*) | 20 to 30 | 20 to 28. |

| | | |
|---|---|---|
| Rice | 8 to 11 | 8 to 11. |
| Ragi (*Eleusine corocana.*) | 25 to 40 | 25 to 40. |
| Horse-gram (*Ciser arietinum.*) | 20 to 28 | 20 to 30. |